

Fuel EX Gen 6



150mm Fork, Neutral Headset (Stock Configuration)

Mino Low

	Frame Size Number	Wheelsize	Seat Tube Length	Seat Tube Angle	Effective Seat Tube Angle	Head Tube Length	Head Tube Angle	Effective Top Tube	Bottom Bracket Height	Bottom Bracket Drop	Chainstay Length	Fork Offset	Fork Trail	Wheelbase	Standover (carbon models)	Standover (alloy models)	Frame Reach	Frame Stack	Front Center	Fork Axle-to-Crown	Travel Front (mm)	Travel Rear (mm)
XS	14"	27.5"	36.0	70.8°	78.6°	9.5	64.5°	51.6	33.2	2.5	43.5	4.4	12.2	114.5	71.6	71.7	40.0	57.4	71.1	53.3	140	140
S	15.5"	27.5"	38.0	70.8°	78.2°	9.5	64.5°	55.1	33.2	2.5	43.5	4.4	12.2	117.5	72.4	72.4	43.0	57.4	74.1	53.3	140	140
S	15.5"	29"	38.0	70.8°	78.6°	9.5	64.5°	55.4	33.5	3.8	43.5	4.4	12.9	118.6	73.2	73.7	42.5	61.2	74.9	56.1	150	140
M	17.5"	29"	41.0	70.8°	78.2°	10.0	64.5°	58.4	33.5	3.8	43.5	4.4	12.9	121.3	73.7	73.7	45.0	61.7	77.6	56.1	150	140
M/L	18.5"	29"	42.0	70.8°	77.5°	10.0	64.5°	60.7	33.5	3.8	44.0	4.4	12.9	123.3	74.5	74.2	47.0	61.7	79.6	56.1	150	140
L	19.5"	29"	43.5	70.8°	77.2°	10.5	64.5°	62.7	33.5	3.8	44.0	4.4	12.9	125.0	74.8	74.8	48.5	62.1	81.3	56.1	150	140
XL	21.5"	29"	47.0	70.8°	76.6°	12.0	64.5°	66.2	33.5	3.8	44.5	4.4	12.9	128.7	76.0	76.7	51.5	63.5	84.9	56.1	150	140
XXL	23"	29"	50.0	70.8°	76.0°	13.5	64.5°	69.7	33.5	3.8	45.0	4.4	12.9	132.3		77.4	54.5	64.8	88.6	56.1	150	140

150mm Fork, Neutral Headset

Mino High

XS	14"	27.5"	36.0	71.2°	78.9°	9.5	64.9°	51.6	33.7	2.1	43.4	4.4	11.9	114.4	71.9	72.0	40.4	57.2	71.1	53.3	140	142.6
S	15.5"	27.5"	38.0	71.1°	78.5°	9.5	64.8°	55.0	33.7	2.1	43.4	4.4	11.9	117.4	72.8	72.7	43.3	57.2	74.1	53.3	140	142.6
S	15.5"	29"	38.0	71.4°	79.2°	9.5	65.1°	55.3	34.3	3.1	43.3	4.4	12.5	118.5	73.8	74.3	43.1	60.8	74.9	56.1	150	143.7
M	17.5"	29"	41.0	71.4°	78.8°	10.0	65.1°	58.3	34.3	3.1	43.3	4.4	12.5	121.2	74.4	74.3	45.6	61.2	77.6	56.1	150	143.7
M/L	18.5"	29"	42.0	71.4°	78.0°	10.0	65.1°	60.6	34.3	3.1	43.8	4.4	12.5	123.2	75.1	74.8	47.6	61.2	79.6	56.1	150	143.7
L	19.5"	29"	43.5	71.4°	77.7°	10.5	65.1°	62.6	34.3	3.1	43.8	4.4	12.5	124.9	75.4	75.4	49.1	61.7	81.3	56.1	150	143.7
XL	21.5"	29"	47.0	71.3°	77.1°	12.0	65.0°	66.0	34.3	3.0	44.3	4.4	12.5	128.6	76.7	77.4	52.1	63.0	84.9	56.1	150	143.7
XXL	23"	29"	50.0	71.3°	76.5°	13.5	65.0°	69.5	34.3	3.0	44.8	4.4	12.5	132.2		78.1	55.1	64.4	88.6	56.1	150	143.7

Fuel EX Gen 6



150mm Fork, Slack Headset

Mino High

	Frame Size Number	Wheelsize	SeatTube Length	Seat Tube Angle	Effective Seat Tube Angle	Head Tube Length	Head Tube Angle	Effective Top Tube	Bottom Bracket Height	Bottom Bracket Drop	Chainstay Length	Fork Offset	Fork Trail	Wheelbase	Standover (carbon models)	Standover (alloy models)	Frame Reach	Frame Stack	Front Center	Fork Axle-to-Crown	Travel Front (mm)	Travel Rear (mm)
XS	14"	27.5"	36.0	71.4°	79.1°	9.5	64.0°	51.5	33.5	2.3	43.4	4.4	12.5	115.2	71.7	71.8	40.6	57.0	71.9	53.3	140	142.6
S	15.5"	27.5"	38.0	71.4°	78.7°	9.5	64.0°	54.9	33.5	2.3	43.4	4.4	12.5	118.2	72.6	72.5	43.6	57.0	74.9	53.3	140	142.6
S	15.5"	29"	38.0	71.6°	79.4°	9.5	64.0°	55.2	34.1	3.3	43.3	4.4	13.1	119.3	73.6	74.1	43.4	60.6	75.7	56.1	150	143.7
M	17.5"	29"	41.0	71.6°	79.0°	10.0	64.0°	58.3	34.1	3.2	43.3	4.4	13.1	122.1	74.2	74.1	45.9	61.1	78.4	56.1	150	143.7
M/L	18.5"	29"	42.0	71.6°	78.2°	10.0	64.0°	60.6	34.1	3.2	43.8	4.4	13.1	124.1	74.9	74.6	47.8	61.0	80.4	56.1	150	143.7
L	19.5"	29"	43.5	71.6°	77.9°	10.5	64.0°	62.5	34.1	3.2	43.8	4.4	13.1	125.8	75.2	75.2	49.3	61.5	82.1	56.1	150	143.7
XL	21.5"	29"	47.0	71.6°	77.3°	12.0	64.0°	66.0	34.1	3.2	44.3	4.4	13.1	129.4	76.5	77.2	52.3	62.8	85.8	56.1	150	143.7
XXL	23"	29"	50.0	71.5°	76.7°	13.5	64.0°	69.4	34.2	3.2	44.8	4.4	13.1	133.1		77.9	55.3	64.2	89.4	56.1	150	143.7

150mm Fork, Slack Headset

Mino Low

XS	14"	27.5"	36.0	71.1°	78.8°	9.5	63.5°	51.6	33.1	2.7	43.5	4.4	11.0	115.3	71.4	71.5	40.3	57.2	71.9	53.3	140	140.0
S	15.5"	27.5"	38.0	71.1°	78.4°	9.5	63.5°	55.0	33.1	2.7	43.5	4.4	11.0	118.3	72.2	72.2	43.3	57.2	74.9	53.3	140	140.0
S	15.5"	29"	38.0	71.1°	78.8°	9.5	63.5°	55.3	33.4	4.0	43.5	4.4	11.7	119.4	73.0	73.5	42.8	61.1	75.7	56.1	150	140.0
M	17.5"	29"	41.0	71.1°	78.4°	10.0	63.5°	58.4	33.4	4.0	43.5	4.4	11.7	122.2	73.5	73.5	45.3	61.5	78.4	56.1	150	140.0
M/L	18.5"	29"	42.0	71.0°	77.7°	10.0	63.5°	60.7	33.4	4.0	44.0	4.4	11.7	124.2	74.3	74.0	47.3	61.5	80.4	56.1	150	140.0
L	19.5"	29"	43.5	71.0°	77.4°	10.5	63.5°	62.6	33.4	4.0	44.0	4.4	11.7	125.9	74.6	74.6	48.8	61.9	82.1	56.1	150	140.0
XL	21.5"	29"	47.0	71.0°	76.8°	12.0	63.5°	66.1	33.4	4.0	44.5	4.4	11.7	129.5	75.8	76.5	51.8	63.3	85.8	56.1	150	140.0
XXL	23"	29"	50.0	71.0°	76.2°	13.5	63.5°	69.6	33.4	4.0	45.0	4.4	11.7	133.2		77.2	54.8	64.6	89.4	56.1	150	140.0

Fuel EX Gen 6



150mm Fork, Steep Headset

Mino High

	Frame Size Number	Wheelsize	SeatTube Length	Seat Tube Angle	Effective Seat Tube Angle	Head Tube Length	Head Tube Angle	Effective Top Tube	Bottom Bracket Height	Bottom Bracket Drop	Chainstay Length	Fork Offset	Fork Trail	Wheelbase	Standover (carbon models)	Standover (alloy models)	Frame Reach	Frame Stack	Front Center	Fork Axle-to-Crown	Travel Front (mm)	Travel Rear (mm)
XS	14"	27.5"	36.0	70.9°	78.7°	9.5	66.0°	51.6	33.8	1.9	43.4	4.4	11.4	113.6	72.2	72.3	40.1	57.3	70.3	53.3	140	142.6
S	15.5"	27.5"	38.0	70.9°	78.3°	9.5	66.0°	55.0	33.8	1.9	43.4	4.4	11.4	116.6	73.0	73.0	43.1	57.3	73.3	53.3	140	142.6
S	15.5"	29"	38.0	71.2°	78.9°	9.5	66.0°	55.3	34.5	2.9	43.3	4.4	11.9	117.6	74.0	74.5	42.9	61.0	74.0	56.1	150	143.7
M	17.5"	29"	41.0	71.2°	78.5°	10.0	66.0°	58.3	34.5	2.9	43.3	4.4	11.9	120.3	74.6	74.5	45.4	61.4	76.7	56.1	150	143.7
M/L	18.5"	29"	42.0	71.1°	77.8°	10.0	66.0°	60.7	34.5	2.9	43.8	4.4	11.9	122.3	75.4	75.1	47.4	61.4	78.7	56.1	150	143.7
L	19.5"	29"	43.5	71.1°	77.5°	10.5	66.0°	62.6	34.5	2.9	43.8	4.4	11.9	124.1	75.7	75.7	48.9	61.9	80.4	56.1	150	143.7
XL	21.5"	29"	47.0	71.1°	76.9°	12.0	66.0°	66.1	34.5	2.9	44.3	4.4	11.9	127.7	76.9	77.6	51.9	63.2	84.0	56.1	150	143.7
XXL	23"	29"	50.0	71.1°	76.3°	13.5	66.0°	69.6	34.5	2.9	44.8	4.4	11.9	131.4		78.3	54.9	64.6	87.7	56.1	150	143.7

150mm Fork, Steep Headset

Mino Low

XS	14"	27.5"	36.0	70.6°	78.3°	9.5	65.5°	51.7	33.4	2.3	43.5	4.4	13.4	113.7	71.8	71.9	39.8	57.6	70.3	53.3	140	140.0
S	15.5"	27.5"	38.0	70.6°	77.9°	9.5	65.5°	55.1	33.4	2.3	43.5	4.4	13.4	116.7	72.6	72.6	42.8	57.6	73.3	53.3	140	140.0
S	15.5"	29"	38.0	70.6°	78.4°	9.5	65.5°	55.4	33.7	3.6	43.5	4.4	14.2	117.7	73.4	73.9	42.3	61.4	74.0	56.1	150	140.0
M	17.5"	29"	41.0	70.6°	78.0°	10.0	65.5°	58.5	33.7	3.6	43.5	4.4	14.2	120.5	73.9	73.9	44.8	61.9	76.7	56.1	150	140.0
M/L	18.5"	29"	42.0	70.6°	77.2°	10.0	65.5°	60.8	33.7	3.6	44.0	4.4	14.2	122.5	74.7	74.4	46.8	61.9	78.7	56.1	150	140.0
L	19.5"	29"	43.5	70.6°	76.9°	10.5	65.5°	62.7	33.7	3.6	44.0	4.4	14.2	124.2	75.0	75.0	48.3	62.3	80.4	56.1	150	140.0
XL	21.5"	29"	47.0	70.6°	76.4°	12.0	65.5°	66.2	33.7	3.6	44.5	4.4	14.2	127.8	76.2	76.9	51.3	63.7	84.0	56.1	150	140.0
XXL	23"	29"	50.0	70.6°	75.8°	13.5	65.5°	69.7	33.7	3.7	45.0	4.4	14.2	131.5		77.6	54.3	65.0	87.7	56.1	150	140.0

Fuel EX Gen 6



Mullet, 160mm Fork, Neutral Headset

Mino High

	Frame Size Number	Wheelsize	SeatTube Length	Seat Tube Angle	Effective Seat Tube Angle	Head Tube Length	Head Tube Angle	Effective Top Tube	Bottom Bracket Height	Bottom Bracket Drop	Chainstay Length	Fork Offset	Fork Trail	Wheelbase	Standover (carbon models)	Standover (alloy models)	Frame Reach	Frame Stack	Front Center	Fork Axle-to-Crown	Travel Front (mm)	Travel Rear (mm)
S	15.5"	29"/27.5"	38.0	70.2°	77.9°	9.5	63.9°	55.5	33.6	2.7	43.3	4.4	13.4	118.9	73.4	73.9	41.8	61.7	75.2	57.1	160	143.7
M	17.5"	29"/27.5"	41.0	70.2°	77.6°	10.0	63.9°	58.5	33.6	2.7	43.3	4.4	13.4	121.6	73.9	73.8	44.3	62.2	78.0	57.1	160	143.7
M/L	18.5"	29"/27.5"	42.0	70.2°	76.8°	10.0	63.9°	60.9	33.6	2.7	43.8	4.4	13.4	123.6	74.6	74.3	46.4	62.2	80.0	57.1	160	143.7
L	19.5"	29"/27.5"	43.5	70.2°	76.6°	10.5	63.9°	62.8	33.6	2.7	43.8	4.4	13.4	125.3	74.9	74.9	47.9	62.6	81.7	57.1	160	143.7
XL	21.5"	29"/27.5"	47.0	70.2°	76.0°	12.0	63.9°	66.3	33.6	2.7	44.3	4.4	13.4	129.0	76.1	76.8	50.9	64.0	85.3	57.1	160	143.7
XXL	23"	29"/27.5"	50.0	70.2°	75.5°	13.5	63.9°	69.8	33.5	2.7	44.8	4.4	13.4	132.6		77.5	53.9	65.4	89.0	57.1	160	143.7

Mullet, 160mm Fork, Slack Headset

Mino High

S	15.5"	29"/27.5"	38.0	70.4°	78.2°	9.5	62.9°	55.5	33.4	2.9	43.3	4.4	14.0	119.8	73.1	73.6	42.1	61.5	76.1	57.1	160	143.7
M	17.5"	29"/27.5"	41.0	70.4°	77.8°	10.0	62.9°	58.5	33.4	2.9	43.3	4.4	14.0	122.5	73.7	73.6	44.6	62.0	78.8	57.1	160	143.7
M/L	18.5"	29"/27.5"	42.0	70.4°	77.1°	10.0	62.9°	60.8	33.4	2.9	43.8	4.4	14.0	124.5	74.4	74.1	46.6	62.0	80.8	57.1	160	143.7
L	19.5"	29"/27.5"	43.5	70.4°	76.8°	10.5	62.9°	62.8	33.4	2.9	43.8	4.4	14.0	126.2	74.7	74.7	48.1	62.4	82.6	57.1	160	143.7
XL	21.5"	29"/27.5"	47.0	70.5°	76.2°	12.0	62.9°	66.3	33.4	2.9	44.3	4.4	14.0	129.9	75.9	76.6	51.1	63.8	86.2	57.1	160	143.7
XXL	23"	29"/27.5"	50.0	70.5°	75.7°	13.5	62.9°	69.8	33.4	2.9	44.8	4.4	14.0	133.5		77.3	54.1	65.2	89.8	57.1	160	143.7

Mullet, 160mm Fork, Steep Headset

Mino High

S	15.5"	29"/27.5"	38.0	69.9°	77.7°	9.5	64.9°	55.6	33.8	2.6	43.3	4.4	12.8	118.0	73.6	74.1	41.6	61.9	74.4	57.1	160	143.7
M	17.5"	29"/27.5"	41.0	70.0°	77.3°	10.0	64.9°	58.6	33.8	2.6	43.3	4.4	12.8	120.8	74.1	74.1	44.1	62.4	77.1	57.1	160	143.7
M/L	18.5"	29"/27.5"	42.0	70.0°	76.6°	10.0	64.9°	60.9	33.8	2.6	43.8	4.4	12.8	122.8	74.8	74.5	46.1	62.4	79.1	57.1	160	143.7
L	19.5"	29"/27.5"	43.5	70.0°	76.3°	10.5	64.9°	62.9	33.7	2.6	43.8	4.4	12.8	124.5	75.1	75.1	47.6	62.8	80.8	57.1	160	143.7
XL	21.5"	29"/27.5"	47.0	70.0°	75.8°	12.0	64.9°	66.4	33.7	2.6	44.3	4.4	12.8	128.1	76.3	77.0	50.6	64.2	84.4	57.1	160	143.7
XXL	23"	29"/27.5"	50.0	70.0°	75.2°	13.5	64.9°	69.9	33.7	2.6	44.8	4.4	12.8	131.8		77.7	53.6	65.6	88.1	57.1	160	143.7